


KWC

Swiss Water Experience

KWC
ZOE



Icon with style







With KWC ZOE, you can channel our 140 years of expertise in working with water into your kitchen in the form of a sculptural masterpiece. This faucet combines clever functions with a captivating interplay of light and water and the distinctive hallmark of a master in unparalleled perfection. In short, KWC ZOE brings a whole new level of luxury to your kitchen.

**On and off**

A touch of a button is all it takes for luminaqua® to transform the jet of water from your faucet into a wonderful play of light. The light switches off automatically after 30 minutes.



Evocative and enduring



Subtle yet powerful

The elegant yet robust operating lever blends discreetly into the background thanks to its dark-coloured design, but its functional qualities soon come to the fore: the flow rate and water temperature can be controlled extremely intuitively and with tactile, comfortable ease.

Safe and sound

KWC ZOE particularly proves its worth in households where small children are around. Cold water flows when the lever is pointing forward and mixed water runs when it is in the central position, keeping guests of all ages safe from scalding in the kitchen.





A distinctive masterpiece

KWC ZOE reveals new aspects of its unmistakable character from every angle, making it a style icon pioneering completely new approaches to faucet design.




Colours and styles

All of the latest trends in architecture and interior design have been incorporated into the development of KWC ZOE, while new finishes add the final touch to the range: this premium product is now available with a classic black, an elegant glacier white surface or with a 'decor steel' stainless steel effect. This array of colours makes KWC ZOE ideal for a wide range of applications to suit all kinds of different lifestyles.









Pull-out spray

The spray is seamlessly integrated into the spout and can be extended up to 50 cm. A high-quality metallic casing extends the service life of the pull-out hose.




Diverter

Just one press of the diverter button on the shower head is all it takes to switch from a full Neoperl® spray to a fine needle spray.




luminaqua®

To create the right atmosphere in your kitchen, you can activate the luminaqua® play of light whenever the mood strikes you. The light ring is integrated into the pull-out aerator, making it seem invisible, while the LEDs have a very long lifespan but use very little electricity.




jetclean

The jetclean faceplate prevents limescale from building up on your kitchen spray and does some of your cleaning work for you. When water is flowing, the cone-shaped holes on the faceplate expand, dislodging any stubborn limescale deposits. The holes go back to their normal size when the water flow is switched off.




turn and clean (tac)


If limescale deposits build up on the faceplate of your faucet, the turn and clean fastening mechanism will come to your aid: simply turn, clean and the job is done.



For an angled spray of water, the size of the basin must be factored in.



When installing faucets, the distance from the wall must be taken into account. Approximately 55 mm between the wall and the centre of the faucet.



Windows / wall units need to be taken into account.



10.201.122.000FL all chrome
A 215, mains receiver, with luminaqua®
LED-technology
10.201.102.000FL chromeline
A 215



10.201.122.127FL decor steel
A 215, mains receiver, with luminaqua®
LED-technology
10.201.102.127FL decor steel
A 215



10.201.122.106FL black
A 215, mains receiver, with luminaqua®
LED-technology
10.201.102.106FL black
A 215



10.201.122.150FL glacier white
A 215, mains receiver, with luminaqua®
LED-technology
10.201.102.150FL glacier white
A 215

with luminaqua® LED-technology

Lever mixer

- Lever installation only possible on the right side
- Child safety: cold water flow in lever position towards the front
- Covered pull-out spray
- ergonomic spout alignment, shape and handling
- KWC-jetclean-technology
- automatic diverter reset
- integrated ON/OFF push-button with automatic shut-off after 30 minutes
- up to 500 mm pull-out length
- hose surface to fit faucet surface
- Hose guide, swivelling 270°

Flow rate normal spray 8 l/min (3 bar)
Flow rate needle spray 9 l/min (3 bar)

without luminaqua® LED-technology

Lever mixer

- Lever installation only possible on the right side
- Child safety: cold water flow in lever position towards the front
- Covered pull-out spray
- ergonomic spout alignment, shape and handling
- KWC-jetclean-technology
- automatic diverter reset
- up to 500 mm pull-out length
- hose surface to fit faucet surface
- Hose guide, swivelling 270°

Flow rate normal spray 8 l/min (3 bar)
Flow rate needle spray 9 l/min (3 bar)



Z.536.586.000 all chrome



Z.536.586.127 decor steel



Z.536.586.106 black



Z.536.586.150 glacier white

