


KWC

Swiss Water Experience

KWC
ADRENA



The brighter
aspects of every-
day life







KWC ADRENA has many talents. See for yourself what advantages this pleasantly down-to-earth and low-maintenance product line has to offer in your daily use. With its reliable Swiss quality, thoroughly robust construction and small yet practical details, you will never want to do without your KWC ADRENA in the kitchen again, right from the word go.

**No ifs or buts**

You benefit from exceptional ease of use and greater hygiene thanks to the seamlessly integrated membrane on this diverter. It simply keeps any dirt particles out.

Ready and able

The jetclean faceplate prevents limescale from building up on your kitchen spray and makes cleaning less of an effort for you. When water is flowing, the holes in the faceplate expand and dislodge any limescale deposits. The holes go back to their normal size when the water flow is switched off.





Lever mixer
– Swivel spout 160°

10.321.023.000FL all chrome
A 230

Flow rate 12 l/min (3 bar)



Lever mixer
– Swivel spout 160°

10.325.023.000FL all chrome
A 230, Low pressure


Flow rate 6 l/min (3 bar)



Lever mixer
– Pull-out spray with KWC jetclean
– up to 600 mm pull-out length
– automatic diverter reset
– hose surface to fit faucet surface
– Hose guide, swivelling 130°

10.321.033.000FL all chrome
A 230

Flow rate normal spray 11 l/min (3 bar)
Flow rate needle spray 12 l/min (3 bar)



Lever mixer
– Pull-out spray with KWC jetclean
– up to 600 mm pull-out length
– automatic diverter reset
– hose surface to fit faucet surface
– Hose guide, swivelling 130°

10.325.033.000FL all chrome
A 230, Low pressure

Flow rate normal spray 6 l/min (3 bar)
Flow rate needle spray 6 l/min (3 bar)



Lever mixer
– Swivel spout 140°

10.321.063.000FL all chrome
A 230, Integrated shut-off valve

Flow rate 12 l/min (3 bar)




Lever mixer
– Fixed spout

11.322.034.000 all chrome
A 225, Trim kit

To be ordered separately:
Unit for concealed installation ½"
39.321.400.931

Flow rate 7,5 l/min (3 bar)



Lever mixer
– Detachable for installation below windows – detached 55 mm
– Swivel spout 160°

10.321.043.000FL all chrome
A 230

Flow rate 12 l/min (3 bar)



Lever mixer
– Detachable for installation below windows – detached 55 mm
– Pull-out spray with KWC jetclean
– up to 600 mm pull-out length
– automatic diverter reset
– hose surface to fit faucet surface
– Hose guide, swivelling 130°

10.321.053.000FL all chrome
A 230

Flow rate 12 l/min (3 bar)

